

L Number	Hits	Search Text	DB	Time stamp
-	41	(interface) with (list\$4) near5 (device or PDA or handheld) same (range or proximity or local\$6) and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:29
-	6	(interface) with (list\$4) near5 (device or PDA or handheld) same (range or proximity or local\$6) same (user or client) near3 (select\$4 or choos\$4) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:00
-	4820	(709/223,224).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:30
-	71	((709/223,224).CCLS.) and GUI same topology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:49
-	23	((709/223,224).CCLS.) and GUI same topology and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:31
-	3	((709/223,224).CCLS.) and GUI same topology same list and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:33
-	1	((709/223,224).CCLS.) and GUI same topology and broadcast same list and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:35
-	6	((709/223,224).CCLS.) and interface same topology and broadcast same list and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:38
-	21	((709/223,224).CCLS.) and (GUI or user adj interface) same list and topology and broadcast and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:41
-	5	((709/223,224).CCLS.) and (GUI or user adj interface) same list adj3 device and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:42
-	30	(GUI or user adj interface or menu) same choose with transmission and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:54
-	0	bluetooth and PDA and choose with transmission and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:46

-	1	bluetooth and PDA and choose with transmission and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:50
-	3	bluetooth and PDA and choose with (RF or IR) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:51
-	5	bluetooth and choose with (RF or IR) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:51
-	220	(GUI or user adj interface or menu) same choose near5 type and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:54
-	0	(GUI or user adj interface or menu) same choose near5 (mode or type) near5 transmit\$7 and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:55
-	207	(GUI or user adj interface or menu) with choose near5 (mode or type) and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:55
-	4	(GUI or user adj interface or menu) with choose near5 (mode or type) same transmit\$8 and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:56
-	352	(GUI or user adj interface or menu) same (mode or type) near5 transmit\$8 and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:56
-	12	(GUI or user adj interface or menu) same selects near8 (mode or type) near5 transmit\$8 and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:59
-	76	(GUI or user adj interface or menu) same transmission adj (mode or type) and @ad<19991130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:00
-	26987	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:32
-	12	((("709").CLAS.) and group adj data adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:32
-	10720	(709/203-207,213,217,227).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:35

-	5656	((709/203-207,213,217,227).CCLS.) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:36
-	11	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) same data adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:40
-	393	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) same (list\$4 or menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:40
-	183	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) near4 (list\$4 or menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:40
-	0	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) near4 (list\$4 or menu) same proximity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:41
-	48	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) near4 (list\$4 or menu) same device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:47
-	6	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) same broadcast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:47
-	179	((709/223,224).CCLS.) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:29
-	13	((709/223,224).CCLS.) and (gui or user adj interface) same (select\$4) near5 (transfer or transmit or connect\$4) same (list\$4 or menu) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 11:52
-	1	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) same (available adj (connections or computers or devices))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:45
-	7	((709/223,224).CCLS.) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) same topology and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:41
-	37	5887139.URPN.	USPAT	2004/03/05 13:35
-	1	"5426421".PN.	USPAT	2004/03/05 13:41
-	7	((709/223,224).CCLS.) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) same available near3 (devices or computers or terminals) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:45

-	7	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (select\$4) same (list\$4 or menu) same (available near4 (terminals or connections or computers or devices))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:45
-	9	((709/223,224).CCLS.) and (gui or user adj interface) same (list\$4 or menu) same available near3 (devices or computers or terminals) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:28
-	101	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (shar\$4) near3 (file or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:48
-	41	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (shar\$4) near3 (file or data or information) and (PDA or portable or handheld)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:37
-	2	6336142.URPN.	USPAT	2004/03/05 14:01
-	2	6336142.URPN.	USPAT	2004/03/05 14:04
-	1	6487597.URPN.	USPAT	2004/03/05 14:04
-	11	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (choice or choose or select) near3 (connection or transmit\$5 or infrared or frequency or ir or rf)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:13
-	2	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (file adj transfer) same (list or identify or available) and (PDA or portable or handheld)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:39
-	2	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (file adj transfer) same (list or identify or available) same (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:11
-	0	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface) same (file adj transfer) same (user or client) near5 (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:23
-	11	(gui or user adj interface) same (file adj transfer) same (user or client) near5 (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:22
-	9	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface or display) same (transfer) same (user or client) near5 (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:23
-	8	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface or interface) same (transfer or transmit) same (user or client) same (list or available) same (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:24
-	7	((709/203-207,213,217,227).CCLS.) and @ad<20001130) and (gui or user adj interface or interface) same (transfer) same (user or client) same (list or available) same (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:26

-	66	(gui or user adj interface or interface) same (transfer) same (user or client) same (list) same (confirm\$7 or acknowledg\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:27
-	152	(confirmation) and (list\$4) same available near3 (devices or computers or terminals) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:31
-	67	(mobile or portable or wireless or handheld or pda) and (confirmation) and (list\$4) same available near3 (devices or computers or terminals) and @ad<20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:31
-	0	6529119.URPN.	USPAT	2004/03/05 15:41
-	0	6421716.URPN.	USPAT	2004/03/05 15:41